

SL#	LOT 2 Equipment Description of Item	Unit	Unit Price			
			(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
1	Aluminium foil [98.00 % minimum aluminum and in thicknesses 0.00025 in. (0.0064 mm)]	roll			135	
2	Aluminium pan [150 mm dia]	nos			125	
3	Aluminium wire [Gauge = 0.05mm]	m			20	
4	Ammeter [Ammeter 0 - 3A (LC 0.05 A) DC. Case : ABS Plastic Case, Accuracy Class : ± 2.5 FSD, Scale Length : 50mm (approx) with knife edge pointer, Desk Stand : Top Terminal ABS plastic moulded, Meters moving coil dc., Size : 90 x 110 x 90 mm approx.]	nos			395	
5	Arduino [Arduino Nano, 110 to 220 V, 50 to 60 Hz, 100 to 200 mA]	nos			525	
6	Assorted weights - slotted: [5 gm each with 5 pcs, I with the hook]	set			100	
7	Assorted weights - slotted: [10 gm each with 5 pcs, I with the hook]	set			110	
8	Assorted weights - slotted: [20 gm each with 5 pcs, I with the hook]	set			125	
9	Assorted weights - slotted: [50 gm each with 5 pcs, I with the hook]	set			195	
10	Assorted weights - slotted: [100 gm each with 5 pcs, I with the hook.]	set			270	
11	Assorted weights - slotted: [500 gm each with 5 pcs, I with the hook]	set			860	
12	Assorted weights - slotted: [1000 gm each with 5 pcs, I with the hook]	set			1565	
13	Ball and ring apparatus [Gravesande's, ring mounted in rod with handle, ball with chain, Ball dia= 22mm]	set			330	
14	Balloon [Assorted, rubber (packet of 100)]	pkt			465	
15	Barlow's Wheel [Input Voltage: 3-6V DC @ 3A, 8" x 5" x 7" (lxwxh)]	nos			1000	
16	Bathroom Mirror [Square edge, 5 mm thickness, 15cm x 10 cm]	nos			85	
17	Bathroom scale [Digital, dimension 12.44 x 12.17 x 2.01 inches]	nos			1625	
18	Battery charger with rechargeable battery [AA- 4 dry cells (1.5V), AC supply]	nos			1095	
19	Battery eliminator [Output Voltage: 1.5, 3, 4.5, 6, 7.5, 9, 10.5 and 12 V AC full wave rectified, unsmoothed and unregulated D.C., Overload protection: Resettable thermal trip., Working voltage: 220 V AC, 50 Hz single phase., Output: 1.5 to 12 V in 8 steps.]	nos			1250	
20	Black paper [Sheets, 200 gsm]	nos			25	
21	Blender [Stainless steel,15 inches height, 220V, 50/60Hz, 3.6A]	nos			1100	
22	Block & tackle [3 pulleys set]	set			125	
23	Block & tackle [4 pulleys set]	set			190	
24	Block & tackle [6 pulleys set]	set			285	
25	Blotting paper [Thickness: 0.3mm - 2.0 mm, (packet of 25)]	pkt			160	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
26	Boots [Rubber/poly resistant to acids/ knee length]	nos			500	
27	Brass Plate [Small size]	nos			95	
28	Bowl [Plastic, 300mm dia]	nos			155	
29	Testube Brush [Pointed tip or round tip bristle, long and closely arranged bristle for details]	nos			25	
30	Bread Board [400 Tie Point Solderless Bread Board]	nos			270	
31	Bucket [15 L, plastic]	nos			400	
32	Bulb [100 W]	nos			65	
33	Bulb [200 W]	nos			100	
34	Bulb [3 W]	nos			25	
35	Bulb [1.5 W]	nos			25	
36	Bulb holder [Torch bulb holder]	nos			50	
37	Bulb holder [Holder for 100-200 W incandscnt lamp]	nos			80	
38	Bunsen Burner [Nickel plated brass burner tube 11 mm diameter with rotatable non-removable air regulator on stable cast iron base, baked hammertone finish, with serrated gas inlet tube 9 mm outer diameter]	nos			315	
39	Burette brush [Nylon with GGI wire]	nos			50	
40	Burette stand [Stand single burette base with rubber feet hardwood base 205mm x 110mm rod 460 x 16mm]	nos			400	
41	Calorimeter (Glass) with stirrer [Glass calorimeter. A thermometer and a stirrer, PVC lid provided, 4mm sockets connected to a heating coil. Outer vessel: 7.6cm dia., 9 cm height approx. Inner vessel : 6 cm dia, 8.5 cm height approx.]	nos			485	
42	Camel hair brush [No.1]	nos			25	
43	Capacitor [10 V 220 Micro farrad]	nos			15	
44	Carbon paper [Impenetrable to light with a dimension of 210mm by 330mm (pkt of 100)]	pkt			225	
45	Cardboard [Paper, 0.5m x 0.5 m, 5mm thickness]	nos			75	
46	Carton box [Cardboard, 45 cm x 45 cm x 30 cm]	nos			195	
47	Chart Paper [Sheets, 200 gsm]	sheet			30	
48	China dish [Bobe china, 70 mm -Dia]	nos			35	
49	Choping Board [Plastic, standard size]	nos			400	
50	Chromotography paper [45 x 55 cm, (pkt of 20)]	pkt			315	
51	Clay triangle [2.5 inch (62mm) side, high quality clay pipes and sturdy steel wire.]	nos			35	
52	Clamp with stand [Standard]	nos			470	
53	Clinical thermometer [Temperature Range: 35 - 42degree in C scale or 94 -108 in F scale, Mercury liquid, Length: 110 mm]	nos			140	
54	Colour filter (yellow, blue, red, etc) [8"x10" sheets of primary and secondary colors]	nos			425	
55	Connecting wire [Copper- 28 SWG (double insulation)]	m			30	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
56	Copper Calorimeter [Electroplated copper calorimeter. A thermometer and a stirrer, PVC lid provided, 4mm sockets connected to a heating coil. Outer vessel: Electoplated Copper 7.6cm dia., 9 cm height approx. Inner vessel : 6 cm dia, 8.5 cm height approx.]	nos			535	
57	Copper plate [Copper terminals size 15 x 5 cm]	nos			110	
58	Cork [Without hole (rubber, TOP DIA 30.0mm, BOTTOM DIA 26.0-48.0mm, HEIGHT 33.0-33.5mm) Assorted set of 12 corks]	set			160	
59	Cork Borer [Set of 6. Dia 4-10mm. Nickle plated brass with cleaning rod/ejector.]	set			270	
60	Cotton [Fine (500gm)]	gm			285	
61	Cotton cloth [20cm x 20 cm]	nos			60	
62	Crocodile clips [Length 50 mm. jaws open 9 mm (red & black) (pkt of 12)]	pkt			190	
63	Crowbar [Steel, 100 cm]	nos			600	
64	Crucible with lid [25mL, Porcelain]	nos			90	
65	Cutting board [25x 40 cm]	nos			340	
66	Deflection magnetometer [Magnetic compass, 18 mm thick laminated board (both side sun mica) with dimensions 40" x 5" with suitable hole at the center for holding compass box.]	set			800	
67	DC Motor300RPM BO motor plastic gear	nos			595	
68	Digital balance [LCD display, Metal base, ABS top housing, stainless steel pan, glass draftshield with sliding top door, replaceable in-user cover, stainless steel weighing platform Capacity 500gm]	nos			1500	
69	Digital pH metre [Measuring Range: 0.0 to 14.0 pH, LCD display]	nos			1000	
70	Digital stop watch [LCD Digital Stopwatch. 1/100 second Chronograph up to 23 hours, 59 minutes, 59 seconds. AM/PM indicator]	nos			250	
71	Digital thermometer [Measuring range: -50 ... +1050 °C, min max kfunctions, LCD diaply]	nos			500	
72	Diode valve PN junction diode (set) [Circuit Board (1 No), Digital Multimeter (2 Nos), Diode Module (1No), Flexible Lead Set (50cm) (4 Nos), Flexible lead Set (100cm) (2 Nos), Resistor Module 1k Ohm (1 no), LED Module (red) (1 No), Resistor Module 330 Ohm (1 No), Zener Diode Module (1 No), Variable Power Supply (1 No). Variable power supply with coarse and fine control for 0-16 V DC, 1A and overload Circuit protection]	nos			2500	
73	Displacement can [Vessel tin with spout, 115 x 50mm with overflow]	nos			110	
74	Dissecting microscope [10x abd 20x eyepiece, height 180mm, glass stage 90x95 mm, cast iron base, hand support for dissection]	nos			1500	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
75	Dissecting set [1 - Lister Bandage Scissors 5½", 1 - Dissecting Scissors 4½", 1 - Olsen Hegar Needle Holder 5½", 1 - Needle Holder 5.50", 1 - Thumb Dressing Forceps 5", 1 - Adson Forceps Serrated 4¾", 1 - Iris Forceps 4½" Curved Fine Point, 1 - Scalpel Handle # 4, 10- Surgeon Blade (5 #20 + 5 #21) (Stainless Steel), 1 - Plastic Rooler 6", 1 - Zipper Case.]	set			600	
76	Drawing Board [12" x 18", Superior Quality Softwood]	nos			400	
77	Drawing pins [Made of brass with a coated head (packet of 100)]	pkt			80	
78	Drinking straw [15 cm pck of 30 straws (pkt of 100)]	pkt			250	
79	Dropper [Length 100 mm, with rubber head]	nos			20	
80	Dry Cell Battery Holder [One no. 4mm red terminal and two nos. of 4mm black terminals for availing two ranges 1.5V and 3V. Provision for holding (2 x 1.5V) dry cells. Maximum capacity 3V. Light in Weight made of Plastic.]	nos			300	
81	Dry Cells [1.5 volts - A size]	nos			95	
82	DVD [Recordable only, 4.7 GB]	nos			65	
83	Ebonite Rod [300 x 12 mm]	nos			85	
84	Elastic bands [Rubber, 10 mm thick, 60mm dia]	kg			375	
85	Electrical oven [The outer chamber is made of mild steel, powder coated protected from rust. Inner chamber is made of stainless steel. Chamber size 30x30x30cm. The outer & inner chamber is insulated by good quality glass wool to protect heat loss. Temperature range +5°C ambient to 250°C. Accuracy ± 1°C approx. Light bulb indicating heater operation at the front. Operating voltage 220V AC, 50 Hz. Provided with Microprocessor based PID temperature controller cum indicator and forced air blower.]	nos			6500	
86	Empty can [Steel, H- 20 cm, dia 5 cm]	nos			135	
87	Electrode [Zinc]	nos			100	
88	Electrode [Copper]	nos			165	
89	Electrode [Carbon]	nos			85	
90	First aid kit [Standard items]	set			610	
91	File folder [Hard bound]	nos			55	
92	Flannel dust cloth [Size: 14" x 24"]	nos			100	
93	Flexible wire [Copper PVC insulated, fit for AC rated voltage 450/750V]	m			35	
94	Forceps [Stainless steel, blunt end]	nos			45	
95	Forceps [Stainless steel, sharp end]	nos			40	
96	Flourscent Light Starter [Phillips S12 115- 140 W Starter]	nos			50	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
97	Galvanometer [Centre zero, DC 30-0-30 (20mA/ DIV). Case : ABS Plastic Case, Accuracy Class : ± 2.5 FSD, Scale Length : 50mm(approx) with knife edge pointer, Desk Stand : Top Terminal ABS plastic moulded, Meters moving coil dc., Size : 90 x 110 x 90 mm approx.]	nos			375	
98	Garden Hoe [3 claw, wooden handle, steel]	nos			315	
99	Geometry box [Set of complete measuring instruments]	nos			250	
100	Glazed tile [12 cmx12 cm, ceramic tile, white]	nos			85	
101	Globe [Political map, with logitudes and latitudes marked]	nos			500	
102	Gloves [Rubber, medium size, corrosive resistant]	Pair			190	
103	Gold leaf electroscope [Rectangular case fitted with 4mm. earthing socket, gold leaf support plate with one pair of leaves.]	Set			300	
104	Gravesand's apparatus [Plumb line, two hangers with slotted weights, pulleys with clamp, white board 0.5mx1m on a wooden stand]	set			1625	
105	Hand lens (magnifying glass) [Metalic Handle, 75 mm dia]	nos			145	
106	Hanging hook [Steel hook, 6 cm length]	nos			50	
107	Head pin [Plastic, glass head material with steel or iron shaft (pkt of 50)]	pkt			160	
108	Helical spring [Spring steel wire (0.5 - 11.2 mm), 50 turns, 15-20 cm long]	nos			95	
109	Hess sampler [Dia 200 mm, steel, two handles]	nos			2250	
110	Horseshoe magnet [Size 50 mm. Made of steel,spray painted, with keeper.]	nos			100	
111	Inclined plane with roller and pan [A metal base board 45 x 14cm which supports with scale. Inclination of planee from 0 - 43°. angular scale made of Aluminum casting. A pulley is attached at the end with brass roller made on CNC machine.]	nos			1100	
112	Induction coil [Spark length 25 mm, Voltage DC 6-8V. Current 3A]	nos			2750	
113	Integrated circuit [IC 555 Timer]	nos			45	
114	Jockey [With locating notch in the plated Brass contact]	nos			45	
115	Jumpers Wire [40 Pin Jumpers Wire, 20 cm, 30gm, male to female]	nos			45	
116	Key (1 way) [Brass plug keys with plastic tops]	nos			80	
117	Key (2 way) [Brass plug keys with plastic tops]	nos			120	
118	Knife [Kitchen, steel, medium size].	nos			50	
119	Lab coat [100% cotton, full slieve with pockets (white)]	nos			725	
120	Laser Beam [Co 2 laser beam expander]	nos			625	
121	Lens: Concave [F=10cm, DIA 50mm,]	nos			65	
122	Lens: Concave [F=15cm, DIA 50mm,]	nos			45	
123	Lens: Concave [F=20cm, DIA 50mm,]	nos			45	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
124	Lens: Concave [F=25cm, DIA 50mm,]	nos			45	
125	Lens: Convex [F=10cm, DIA 50mm,]	nos			65	
126	Lens: Convex [F=15cm, DIA 50mm,]	nos			45	
127	Lens: Convex [F=20cm, DIA 50mm,]	nos			45	
128	Lens: Convex [F=25 cm, DIA 50 mm,]	nos			45	
129	Light Emmiting Diode [5 mm T1 3/4 LED]	nos			10	
130	Lock [12 levers, alloy]	nos			750	
131	Magnet [Ball ended, Alinco]	nos			110	
132	Magnet [Bar 4", Alinco, with keepers (11 x 5 mm)]	nos			145	
133	Magnet [Cylindrical, small]	nos			80	
134	Magnet [Ring, medium]	nos			40	
135	Magnet [Spherical, Alinco]	nos			80	
136	Magnetic compass [Aluminum case size 25mm, top transparent]	nos			40	
137	Marbles (different size) [Different colours]	nos			10	
138	Marker pen [Permanent ink, different colours]	nos			65	
139	Masking tape [2 inch width, 5 m long]	nos			250	
140	Match Box [10 box pack]	nos			70	
141	Measuring tape [20 m, round coil case]	nos			670	
142	Metal block [3x3x3 cm]	nos			140	
143	Meter scale [0- 50 cm- stainless steel]	nos			185	
144	Metre bridge [Two Gap one metre, nickel plated brass strips, 4mm socket terminals, fitted on wooden base. Length 100cm long with plastic scale.100 cm of wire (4 ohms /m) mounted on a wooden board with a metre scale with terminals and jockey.]	set			1000	
145	Metre rule [0 -100cm- wooden]	nos			65	
146	Microscope [Compound - Olympus, 10x, 15x and 20x -eye pc, objt. To total magification 10x - 675x in cabinet with lock & key, lens diaphram, dust cover and duster and silica gel]	nos			4000	
147	Microscope Camera [Portable-yes, Resolution-VGA to 13 MP, Frame Rate-Up to 30 Fps, Colour-Black, Format-1/2.5 Inch, FPS-30, Shutter-Rolling]	nos			2500	
148	Motar and pestle [Porcelain,100 mm]	nos			95	
149	Mounting Needles [Steel, platic top, 5 cm length, (pkt of 20)]	pkt			90	
150	Multimeter [Measures AC/DC Voltage Resistance Measurement DC. Current measurement up to 10A DC. Removable test leads included.]	nos			470	
151	Nail [Iron. L= 3 inches]	kg			205	
152	Nail-clipper (cutter) [Standard size, steel]	nos			190	
153	Nichrome wire [Nicrome wire, Diameter 26 SWG.]	m			15	
154	Optical Bench with accessories complete. [Length 1.5M , Aluminium alloy,10 mm diameter mounted rods, 4 fixed saddles. Double lens holder for lenses up to 62 mm diameter. A steel object needle. Mounted on a rod Dia. 10 mm.]	set			4000	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
155	Optical bench pin [Image/object pin, steel]	nos			35	
156	Optical pin [Coloured beed heads 70 mm, 100 pcs pack]	pkt			195	
157	Oscilloscope [20-50 MHz, 2 analog channels,12.1-inch XGA display, adjustable voltages]	nos			2500	
158	Pan [Made of plastic in frying pan shape]	nos			165	
159	Double Pan Balance [0.1 gm to 2000 gm capacity]	nos			2750	
160	Paper clips [30mm (Pkt of 50)]	pkt			80	
161	Paper Cutter [15 cm slidling with hard plastic frame]	nos			70	
162	Paper pins [30mm (pkt of 500)]	pkt			100	
163	Pearl headed pins [5cm long with pastic round heads (pkt of 50)]	pkt			125	
164	Pen [Plastic ball pen]	nos			25	
165	Pencil [HB lead]	nos			20	
166	Pendulum bobs [Brass, 13 mm diameter]	nos			65	
167	Pendulum bobs [Brass, 20 mm diameter]	nos			100	
168	Pinch clip [2.36 -2.76 inch Aligator]	nos			20	
169	Pingpong ball [Standard]	nos			40	
170	Pith Ball Pendulum on base [f a pair of pith Ball suspended by threads from a U-shaped brass wire mounted on a base with rubber feet. Height: 30cm. Base: Acrylic10 x 10cm]	nos			85	
171	Piezo Buzzer [HYDZ Piezo Buzzer]	nos			375	
172	Plane mirror with stand [6"x3", strip with "L" shaped wooden support]	nos			185	
173	Plastic comb [10 cm plastic, wide teeth]	nos			50	
174	Plastic Sheet [Transparent, 5m x 5m]	nos			470	
175	Plastic syringe (without needles) [Polypropylene with a black rubber seal, graduations are marked 0-60ml in 2ml increments]	nos			100	
176	Plasticine [10 colour sticks pack (pkt of 10)]	pkt			145	
177	Plastic Soldering Nozzel [3/4/ inch, PP AQUATECH, 14 to 450 mm]	nos			410	
178	Platinum wire [Diameter 0.25-0.5mm]	m			205	
179	Polythene bag [Big and transparent]	kg			350	
180	Potentiometer [Potentiometer 4 Wire With Pencil Jockey. Four Constantan Wires 24 Swg Stretched On A Polished Wooden Base Connected In Series With The Help Of Brass Strips Provided With Two 4mm Socket Terminals. A Box Wood Metre Scale Fitted On One Edge Of The Wooden Base Parallel To One Metre Length Of 4 Wires With A Knife Edge Jockey.]	set			800	
181	Prism [Equilateral, Size 50 mm]	nos			165	
182	Prism [Right angled , Size 38 mm. Borosil - silicate, Crown glass]	nos			120	
183	Printed circuit board [Rigid Flex PC Board]	nos			190	
184	Pulley - Double [Aliminum with hook]	nos			160	
185	Pulley - single [Aliminum with hook]	nos			120	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
186	Ray Box, Complete [Light Box plastic moulded, Power Supply 2-12V 5AMP AC/DC, Slots Diaphragm, Slots Diaphragm, Right Angled Prism, Plano Concave Lens, Plano Convex Lens, Trapezoid acrylic body, Semi Circular body, Parabolic Mirror, Plane Mirror, Set of colour filters, Flexible Lead (Set), Optical disc and Magnetic board.]	set			2450	
187	Razor blade [Steel, shaving (pkt of 10)]	pkt			150	
188	Resistance box: 0 – 1000 ohms [No. of coils 13. Range in 1-1000 OhmsHMS. Total resistance 2110. Interchangeable taper plugs and having brass metal blocks.]	nos			1500	
189	Resistance box: 0 – 500 ohms [No. of coils 12, Range in 1-500 OhmsHMS. Total resistance 1110. Interchangeable taper plugs and having brass metal blocks.]	nos			1500	
190	Resistance box: 0 – 100 ohms [No. of coils 9. Range in 1-100 Ohms. Total resistance 210. Interchangeable taper plugs and having brass metal blocks.]	nos			1500	
191	Resistance box: 0 –10 ohms [No. of coils 5. Range in 1-10 OhmsHMS. Total resistance 20. Interchangeable taper plugs and having brass metal blocks.]	nos			1500	
192	Resistance wires - Constantan [SWG24,26,28,32 - 4 ohms /m]	m			50	
193	Resistance wires - Manganin [SWG24,26,28,32 - 4 ohms /m]	m			50	
194	Resistance wires - Nichrome [SWG24,26,28,32 - 4 ohms /m]	m			50	
195	Resistor [Metal Oxide Flame proof resistor power 1/6 W]	nos			15	
196	Retort Stand [Complete set- Stand Base 200 x 125mm. steel sheet 5mm thick, fitted with rubber feet, Retort Stand Rod (600 x 12.5mm). Made of Zinc alloy diecast, holds two rods at a time, two separate knobs right angled to each other. Three fingere clamp made of zinc diecast alloy, rubber sleeved jaws gripping upto 75mm. Fitted on chrome plated rod and a plastic knob.]	set			565	
197	Rheostat [Brass rod, 1 amp, 100 Ohm. DIA 4.3 cm . Length 15 cm. Porcelian open type]	set			700	
198	Rope [Plastic/jute -10m]	m			95	
199	Rubber ball [Spongy, dia-4cm]	nos			80	
200	Rubber band [width 0.5 inch]	kg			350	
201	Rubber hammer [20 cm length, rubber bulb]	nos			300	
202	Rubber tubes [8mm x 3mm]	m			60	
203	Rubber sheets [Any thin and elastic rubber sheet with 5cm x 5cm]	nos			35	
204	Safety goggles [Plastic frame]	nos			130	
205	Sand Paper [Fine grain, 60 grit]	pics			30	
206	Scalpel [Steel surgical]	nos			40	

Sl#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
207	Scissors [Big (stainless steel) Size 15 cm.]	nos			145	
208	Scissors [Small (stainless steel) Size 10 cm.]	nos			110	
209	Screw driver [tester body with 6 pcs for different functions in box]	set			360	
210	Screw gauge [Leasrt count 1/100 mm Made of nickel plated brass, stainless steel rod with ratchet stop. Provided with lock nut.]	nos			350	
211	Sellotape [2 inch, transparent, 5 m]	nos			110	
212	Servo Motor [9 G Servo motor 119RS]	nos			375	
213	Sewing thread [Roll, assorted colour]	roll			25	
214	Sieve [Plastic, dia 15 cm]	nos			70	
215	Slinky spring [Dimensions: Base 150 x 150mm approx. Height: 355mm approx.]	nos			130	
216	Steel Plate [small size stainless steel]	nos			75	
217	Sodium vapour lamp [250 W,3 A,33200 lm, 47 mm-dia, 257 mm-length]	nos			2500	
218	Soft iron bar [100mm x 5 x 20mm]	nos			145	
219	Soil testing kit [A complete kit for rapid testing for pH, Phosphate, Potassium, Nitrate, Nitrogen, Ammonical]	set			2500	
220	Soldering paste [Paste]	nos			50	
221	Soldering rod [40w/60w, 110-220v]	nos			230	
222	Soldering wire [Alloy]	nos			80	
223	Sonometer [Pattern : 3 wires, Scale: 2 no., Scale length: 50cm each Spring balance: 1no., Capacity : 100N, Bridges: 2 fixed, 3 moveable, Pulley: one, Size(LxBxH)cm: 67.5x10x10.5 approx]	nos			1300	
224	Spatula (4" metal, stainless steel)	nos			25	
225	Spectrometer [Objective : Achromatic, Focal Length178, Aperture 23mm, Slit : Brass, Reticle : 90° cross on glass, Least Count : 6 minutes Base : Aluminium]	nos			4000	
226	Spherical mirror - concave [DIA 50 mm, F.L 100 mm.]	nos			50	
227	Spherical mirror - concave [DIA 50 mm, F.L 150 mm.]	nos			50	
228	Spherical mirror - concave [DIA 50 mm, F.L 200 mm.]	nos			50	
229	Spherical mirror - concave [DIA 50 mm, F.L 250 mm.]	nos			50	
230	Spherical mirror - convex [DIA 50 mm, F.L 100 mm.]	nos			50	
231	Spherical mirror - convex [DIA 50 mm, F.L 150 mm.]	nos			50	
232	Spherical mirror - convex [DIA 50 mm, F.L 200 mm.]	nos			50	
233	Spherical mirror – convex [DIA 50 mm, F.L 250 mm.]	nos			50	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
234	Spherometer [Brass dial head 40 mm diameter, mounted on stainless steel screw. Head divided into 100 divisions, reading to 0.01 mm and registering on vertical scale 10-0-10. Frame with three legs of stainless steel. Distance between two legs is 40 mm approximately. Pitch 1mm]	nos			395	
235	Spirit lamp [Brass, medium 120 mL]	nos			175	
236	Spirit level [Length 150mm long. Made of Plastic]	nos			110	
237	Spring balance [0-500 N LC=5 N, steel body with metal hook and suspension ring]	nos			115	
238	Stadiometer [Measuring range: 200 cm, graduation: 1 mm]	nos			1500	
239	Stop clocks [Metal body without 0 error, range 1 min, LC 1 sec]	nos			1000	
240	Striking pads [Hard rubber, 5cm x 5 cm]	nos			35	
241	Styrofoam sheet [Polystyrene foam insulation board, 1m x 1m (per sheet)]	sheet			120	
242	Table spoon [Stainless steel]	nos			65	
243	Tap key [Reflecting, plastic base. It has 4mm Terminal]	nos			100	
244	Test tube brush [Nylon wire with GI Wire, Length 200 mm]	nos			15	
245	Test tube holder [Brass]	nos			60	
246	Test tube racks [Wooden with 6 pegs and holes]	nos			140	
247	Thermocol [1m x 1m x 2cm]	sheet			110	
248	Thermometer (Alcohol) [Lab, -100-40 degrees]	nos			125	
249	Thermometer (Mercury) [Lab,-10-110 degree Celsius with LC 0.5 degree Celsius]	nos			160	
250	Thermometer (Mercury) [Lab,-32-212 degree Fahrenheit]	nos			160	
251	Thiele tube [Tube diameter is 25 mm]	nos			95	
252	Three core flexible wire [Copper, Coloured, live, earth and neutral, 2.5mm , PVC insulated]	m			160	
253	Thumb pins [Big head (pkt of 50)]	pkt			100	
254	Tongs [20 cm length, steel]	nos			160	
255	Tooth picks [Wooden, double point (pkt of 100)]	pkt			80	
256	Top Pan Balance [0-20 kg kitchen scale, plastic pan]	nos			1500	
257	Torch [Plastic body, 3 cell]	nos			210	
258	Tray [Stainless steel, anti-corrosive, medium size]	nos			450	
259	Traveling microscope [Travel : horizontal travel 170mm, vertical travel 110mm, Least Count : 0.01mm, Working distance : 50mm, Eyepiece Ramsden : 8x Reticle : 90° cross on glass]	nos			4500	
260	Tripod stand, [Triangular 20 x 12.5 cm]	nos			150	
261	Trolley [Wooden with wheels. 30 cm long]	nos			970	
262	Tuning fork [Set of 8 alloy steel in box]	nos			410	
263	Twine thread [Thick, white]	nos			75	
264	Ultrasonic Sensor [Ultra sonic Sensor 89 RS]	nos			250	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
265	Vernier Calliper [Wheel Type C.P. Steel chrome plated, one side graduated in inches & other side in cms, with adjusting wheel & depth gauge, individually packed in cardbox box. internal, external & depth measurements upto 120mm x 0.1mm or 5" x 1/16".]	nos			155	
266	Voltmeter [0-3V, Case : ABS Plastic Case, Accuracy Class : ± 2.5 FSD, Scale Length : 50mm(approx) with knife edge pointer, Desk Stand : Top Terminal ABS plastic moulded. Meters moving coil type AC/DC.]	nos			500	
267	Voltmeter [0-1V, Case : ABS Plastic Case, Accuracy Class : ± 2.5 FSD, Scale Length : 50mm(approx) with knife edge pointer, Desk Stand : Top Terminal ABS plastic moulded. Meters moving coil type AC/DC.]	nos			500	
268	Voltmeter [0-6V, Case : ABS Plastic Case, Accuracy Class : ± 2.5 FSD, Scale Length : 50mm(approx) with knife edge pointer, Desk Stand : Top Terminal ABS plastic moulded. Meters moving coil type AC/DC.]	nos			500	
269	Water bath [Copper. Non electric, 6"]	nos			600	
270	Water Bath with Thermostat [Stainless steel, 230V, Temperature range 100 degree celcius, Digital controller type, 10L capacity]	nos			4500	
271	Water testing kit [A complete kit for rapid testing for pH, Phosphate, Nitrate-nitrogen, Potassium, Dissolved Oxygen, Turbidity]	set			2500	
272	Wedge [Wooden with metal edge]	nos			35	
273	Wilmott's bubbler [A set with flat bottom flask of capacity 500 ml fitted with a rubber cork, cylindrical cup, graduated tube.]	set			550	
274	Wire gauge [With asbestos centre 6"x 6"]	nos			35	
275	Wooden cork [Agglomerated and regular both and compatible with the size of the boiling tube]	nos			150	
276	Wool [Sheep or other animal]	gm			125	
277	Woollen cloth piece [20cm x 20 cm towel]	nos			125	
278	Zinc plate [Zinc terminals size 15 x 5 cm]	nos			120	
279	Agaricus [Specimens]	nos			285	
280	Amoeba [Specimens]	nos			285	
281	Ascaris [Specimens]	nos			285	
282	Asparagus (Stem) [Specimens]	nos			285	
283	Bean (Root specimen) [Specimens]	nos			230	
284	Betel (Root specimen) [Specimens]	nos			210	
285	Chrysanthemum (Stem specimen) [Specimens]	nos			230	
286	Colocasia (Stem) [Specimens]	nos			230	
287	Cuscuta (Root) [Specimens]	nos			210	
288	Dahlia (Root) [Specimens]	nos			230	
289	Dog fish [Specimens]	nos			210	
290	Fasiola [Specimens]	nos			210	
291	Fern [Specimens]	nos			210	
292	Fish [Specimens]	nos			210	
293	Frog [Specimens]	nos			415	
294	Ginger (Stem) [Specimens]	nos			230	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
295	Grapevine (Stem) [Specimens]	nos			210	
296	Herbaceous plant [Specimens]	nos			210	
297	Hirudinia (leech) [Specimens]	nos			210	
298	Honey bee (apis) [Specimens]	nos			210	
299	Hydra [Specimens]	nos			210	
300	Hydrilla [Specimens]	nos			210	
301	Jellyfish [Specimens]	nos			210	
302	Lawn grass (Stem) [Specimens]	nos			210	
303	Liver fluke [Specimens]	nos			210	
304	Liverwort [Specimens]	nos			210	
305	Lizard [Specimens]	nos			210	
306	Maize(Root) [Specimens]	nos			210	
307	Mirabilis(Root) [Specimens]	nos			230	
308	Moss [Specimens]	nos			230	
309	Mushroom [Specimens]	nos			230	
310	Octopus [Specimens]	nos			320	
311	Onion (Stem) [Specimens]	nos			210	
312	Opuntia (Stem) [Specimens]	nos			210	
313	Palaemon [Specimens]	nos			210	
314	Pheretima (Earthworm) [Specimens]	nos			210	
315	Pigeon [Specimens]	nos			210	
316	Pines [Specimens]	nos			210	
317	Potato (Stem) [Specimens]	nos			210	
318	Rabbit [Specimens]	nos			210	
319	Radish (Root) [Specimens]	nos			260	
320	Rhizopus [Specimens]	nos			210	
321	Rohu [Specimens]	nos			260	
322	Round worm [Specimens]	nos			260	
323	Shark [Specimens]	nos			230	
324	Silkworm [Specimens]	nos			315	
325	Snail [Specimens]	nos			230	
326	Spirogyra [Specimens]	nos			230	
327	Star fish [Specimens]	nos			230	
328	Strawberry (Stem) [Specimens]	nos			230	
329	Tapeworm [Specimens]	nos			230	
330	Turnip(Root) [Specimens]	nos			230	
331	Water hyacinth (Root) [Specimens]	nos			230	
332	Yeast [Specimens]	nos			230	
333	Animal cell [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
334	Bhutan map showing minerals [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
335	Contraceptive devices and contraception methods [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
336	Flower (LS) [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
337	Flowers of Bhutan [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
338	Food Chain [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
339	Food Web [Charts (Bilingual - English + Dzongkha labels)]	nos			260	

SL#	LOT 2 Equipment Description of Item	Unit	Unit Price			
			(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
340	Gross external morohology and human alimentary canal [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
341	Heart: entire & LS [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
342	Human Circulatory system [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
343	Human Digestive system [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
344	Human Excretory system [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
345	Human Female Reproductive System [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
346	Human Male Reproductive System [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
347	Human Nerves & Neurons [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
348	Human Nervous system [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
349	Human systems:endocrine [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
350	Human systems:fertilization [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
351	Human systems:muscular [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
352	Human systems:respiratory [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
353	Human systems:skeletal [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
354	Human systems:Integumentary (Skin) [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
355	L.S of human kidney [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
356	Leaf – internal structure [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
357	Life cycle of Birds [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
358	Life cycle of plants [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
359	Map of Bhutan (Longitude & Latitude) [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
360	Modern Periodic Table [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
361	Modern Periodic Chart [A4 size]	nos			260	
362	Nutrition [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
363	Pancreas TS [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
364	Plant cell [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
365	Plant tissue [Charts (Bilingual - English + Dzongkha labels)]	nos			260	

SL#	LOT 2 Equipment Description of Item	Unit	Unit Price			
			(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
366	Solar system [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
367	Stem, root and leaf modification [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
368	Stomach TS [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
369	Structure of nephron [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
370	T.S. Dicot Leaf [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
371	T.S. Monocot Leaf [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
372	Trees of Bhutan [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
373	Vegetable of Bhutan [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
374	Vegetative propagation [Charts (Bilingual - English + Dzongkha labels)]	nos			260	
375	Wild animals of Bhutan [Charts (Bilingual - English + Dzongkha labels)]	nos			350	
376	Amoeba [Slides]	nos			90	
377	Prokaryotic cell (Bacteria) [Slides]	nos			45	
378	Bread mould (fungus) [Slides]	nos			45	
379	Cardiac muscles tissue [Slides]	nos			35	
380	Cartilage [Slides]	nos			35	
381	Chlamydomonous, [Slides]	nos			45	
382	Dicot stem [Slides]	nos			35	
383	Human bone cell [Slides]	nos			35	
384	Human nerve cell [Slides]	nos			35	
385	Human rbc [Slides]	nos			45	
386	L.S- Root apex [Slides]	nos			45	
387	L.S- Shoot apex [Slides]	nos			45	
388	Non-striated muscles tissue [Slides]	nos			35	
389	Plant cell [Slides]	nos			35	
390	Prokaryotic cell(Bacteruim) [Slides]	nos			50	
391	Striated muscles tissue [Slides]	nos			35	
392	T. S- Blastula [Slides]	nos			35	
393	T. S- Brain cell [Slides]	nos			35	
394	T. S- Nerve cell [Slides]	nos			35	
395	T. S- Unmyelinated neuron [Slides]	nos			35	
396	T. S-Spinal Cord [Slides]	nos			35	
397	T.s of Mammalian testis [Slides]	nos			35	
398	T.S- Mammalian ovary [Slides]	nos			35	
399	T.S- Mammalian pancreas [Slides]	nos			35	
400	T.S of different stages of meiosis [Slides]	nos			470	
401	T.S- phases of mitosis [Slides]	nos			210	
402	Eukaryotic cell [Slides]	nos			45	
403	Virus [Slides]	nos			45	
404	Atomic model with different colour [(Fibre Glass Model)]	nos			375	
405	Chloroplast [(Fibre Glass Model)]	nos			840	
406	Electric bell [(Fibre Glass Model)]	nos			525	
407	Gear wheels [(Fibre Glass Model)]	nos			525	
408	Human Skeleton [(Fibre Glass Model)]	nos			2000	

SL#	LOT 2 Equipment		Unit Price			
	Description of Item	Unit	(L3)	(L2)	(L1)	(L4)
			WANGTHANG TRADING	Rigsum Enterprise	SHANGRILA TRADERS	GhoCho
409	Human brain [(Fibre Glass Model)]	nos			560	
410	Human digestive system [(Fibre Glass Model)]	nos			645	
411	Human DNA [(Fibre Glass Model)]	nos			635	
412	Human Ear [(Fibre Glass Model)]	nos			635	
413	Human Eye [(Fibre Glass Model)]	nos			370	
414	Human Mouth [(Fibre Glass Model)]	nos			645	
415	Human Muscular System [(Fibre Glass Model)]	nos			645	
416	Human Nose [(Fibre Glass Model)]	nos			645	
417	Human Skin [(Fibre Glass Model)]	nos			645	
418	Human Teeth [(Fibre Glass Model)]	nos			645	
419	Mammalian heart [(Fibre Glass Model)]	nos			505	
420	Newton Colour Disc, Superior Quality. [(Fibre Glass Model)]	nos			360	
421	RNA [(Fibre Glass Model)]	nos			645	
422	Stages of meiosis [(Fibre Glass Model)]	nos			595	
423	Ball and stick molecular model set [Plastic Model]	nos			375	
424	File [Triangular, 8"]	nos			315	
425	Chisel Made of Carbon Steel, [1/2", 3/4", 1", 2" of 4 pcs]	nos			570	
426	Glass cutter [Caw with metal handle]	nos			295	
427	Hammer [Claw, steel]	nos			370	
428	Hand Drill [Drill bit set upto 1/2" of 6 pcs]	nos			1500	
429	Measuring tape [10m, Freeman]	nos			550	
430	Plane [Heavy duty, big]	nos			875	
431	Pliers [(8") heavy duty]	nos			250	
432	Saw [Plastic handle, 18", stainless steel]	nos			410	
433	Wet & dry bulb thermometer [Standard]	nos			375	
434	Wind vane [Standard]	nos			1235	
435	Rain gauge [Standard]	nos			735	
436	Anemometer [Standard]	nos			3100	
437	Max - Min thermometer [Standard]	nos			375	
438	Aneroid barometer [Standard]	nos			920	
			638,219.00	251,444.42	175,840.00	653,777.63

Recommended to Shangrila Traders

Tender Evaluation Committee

- 1 Karma Dorji, Chairperson
- 2 Pema Wangdi, member
- 3 Sangay Dorji, member